

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled):	Power Cleaner
Synonyms:	N/A
CAS No:	Mixture
1.2 Product Use:	Various uses
1.3 Company Name:	Cetylite
Company Address:	9051 River Road
Company Address Cont:	Pennsauken, NJ 08110
Business Phone:	(800) 257-7740 or (856) 665-6111
Website:	www.cetylite.com
1.4 Emergency Telephone Number:	(800) 257-7740
Date of Current Revision:	February 19, 2022
Date of Last Revision:	May 18, 2020

SECTION 2 - HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product is a blue colored liquid with a slight odor. May cause serious eye damage. Harmful if swallowed. Inhalation of vapors can cause drowsiness or dizziness. May be irritating to skin.

This product is a Flammable liquid with a flash point of 88°F

The Environmental effects of this product have not been investigated. Release of this product is not anticipated to have significant adverse effects in the aquatic environment.

US DOT Symbols:

EU and GHS Symbols:
Signal Word:

Danger!

2.1 CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 or the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:
Index Number:

EC# 231-791-2 this substance is not classified in the Annex VI

EC# 200-661-7 Annex VI Index# 603-117-00-0

EC# 200-338-0 this substance is not classified in the Annex VI

EC# 231-555-9 Annex VI Index# 007-010-00-4

EC# 269-919-4 this substance is not classified in the Annex VI

EC# 204-672-8 this substance is not classified in the Annex VI

EC# 207-838-8 Annex VI Index# 011-005-00-2

EC# 200-449-4 Annex VI Index# 607-429-00-8

Substances not listed either individually or in group entries must be self-classified.

Components Contributing to Classification: Isopropyl Alcohol, Sodium Nitrite, Alkyl Dimethyl Benzyl Ammonium Chloride (12-18), Cetyldimethylethylammonium Bromide, Sodium Carbonate Monohydrate, Edetic Acid

2.2 Label Elements:
GHS Hazard Classifications:

Flammable liquid Category 2
 Acute Oral Toxicity Category 3
 Skin Irritant Category 2
 Eye Irritant Category 2A
 Specific Target Organ Toxicity – Single exposure Category 3 (Central Nervous System)
 Acute Aquatic Toxicity Category 2

Hazard Statements:

H225: Flammable liquid and vapor
 H301: Toxic if swallowed
 H315: Causes skin irritation
 H319: Causes serious eye irritation
 H336: May cause drowsiness or dizziness
 H401: Toxic to aquatic life

Prevention Statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P233: Keep container tightly closed.
 P240 Ground/Bond container and receiving equipment.
 P241 Use explosion-proof electrical/ventilating/lighting equipment.
 P242 Use only non-sparking tools.
 P243 Take precautionary measures against static discharge.
 P261: Avoid breathing mist/vapors/spray
 P264: Wash hands thoroughly after handling
 P270: Do not eat, drink or smoke when using this product.
 P280: Wear protective gloves/protective clothing/eye protection/face protection

Response Statements:

P273 Avoid release to the environment
 P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P370+P378: In case of fire use water, foam, dry chemical, carbon dioxide or halon to extinguish.
 P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
 P330: Rinse mouth.
 P302+ P352 IF ON SKIN: Wash with plenty of water.
 P332+P313 If skin irritation occurs: Get medical advice/ attention
 P362+P364 Take off contaminated clothing and wash it before reuse
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313: If eye irritation persists: Get medical advice/attention.
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P312: Call a POISON CENTER/doctor if you feel unwell.
 P403+P235: Store in well-ventilated place. Keep cool.
 P405: Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Storage Statements:**Disposal Statements:****2.3 Other Hazards:**

None Applicable

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS No.	EINECS No.	Hazard Classification
Water	45 - 55%	7732-18-5	231-791-2	Not Classified
Isopropyl Alcohol	10 - 20%	67-63-0	200-661-7	Flammable Liq 2, Eye Irritant Cat 2, STOT SE 3
Propylene Glycol	5 - 15%	57-55-6	200-338-0	Not Classified
Sodium Nitrite	5 - 15%	7632-00-0	231-555-9	Ox. Sol. 3, Acute Tox Cat 3(Oral), Aquatic Acute Cat 1
Alkyl Dimethyl Benzyl Ammonium Chloride (12-18)	5 - 10%	68391-01-5	269-919-4	Acute Tox Cat 4 (Oral), Skin Irritant Cat 2, Aquatic Acute Cat 1
Cetyldimethylethylammonium Bromide	5 - 10%	124-03-8	204-672-8	Acute Tox Cat 4 (Oral), Eye Irritant Cat 2, Skin Irritant Cat 2
Sodium Carbonate Monohydrate	1 - 5%	497-19-8	207-838-8	Eye Irritant Cat 2
Edetic Acid	1 - 5%	60-00-4	200-449-4	Eye Irritant Cat 2

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

SECTION 4 - FIRST AID MEASURES**4.1 Description of First Aid Measures:****Eye Contact:**

If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Remove contacts if present and easy to do. Seek medical attention if irritation persists.

Skin Contact:

Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.

Inhalation:

If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

Ingestion:

If product is swallowed, call physician or poison center immediately. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

Medical Conditions Generally Aggravated by Exposure:

Pre-existing skin or eye problems may be aggravated by prolonged contact.

4.2 Symptoms and Effects Both Acute and Delayed:

Exposure to skin or eyes may cause irritation.

4.3 Recommendations to Physicians:

Treat symptoms and eliminate overexposure.

SECTION 5 - FIRE FIGHTING MEASURES**5.1 Fire Extinguishing Materials:**

Use the following fire extinguishing materials:

Water Spray: Yes **Carbon Dioxide:** Yes
Foam: Yes **Dry Chemical:** Yes
Halon: Yes **Other:** Any "C" Class

5.2 Unusual Fire and Explosion Hazards:

Irritating and toxic fumes may be produced at high temperatures. Use of water may result in the formation of a toxic aqueous solution. Do not allow run-off from firefighting to enter drains or water courses.

Explosive Sensitivity to Mechanical Impact:


No

Explosive Sensitivity to Static Discharge:

Yes

- Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full protective equipment.
- Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray.
- If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.

5.3 Special Fire-Fighting Procedures:

NFPA RATING SYSTEM		HMIS RATING SYSTEM HAZARDOUS MATERIAL IDENTIFICATION SYSTEM																	
Flammability  Health Reactivity Other		<table border="1"> <tr> <td style="background-color: #00aaff; color: white;">HEALTH HAZARD (BLUE)</td> <td style="text-align: center;">2</td> </tr> <tr> <td style="background-color: #ff0000; color: white;">FLAMMABILITY HAZARD (RED)</td> <td style="text-align: center;">3</td> </tr> <tr> <td style="background-color: #ffff00; color: black;">PHYSICAL HAZARD (YELLOW)</td> <td style="text-align: center;">0</td> </tr> </table>		HEALTH HAZARD (BLUE)	2	FLAMMABILITY HAZARD (RED)	3	PHYSICAL HAZARD (YELLOW)	0										
HEALTH HAZARD (BLUE)	2																		
FLAMMABILITY HAZARD (RED)	3																		
PHYSICAL HAZARD (YELLOW)	0																		
<table border="1"> <thead> <tr> <th colspan="4">PROTECTIVE EQUIPMENT</th> </tr> <tr> <th>EYES</th> <th>RESPIRATORY</th> <th>HANDS</th> <th>BODY</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"></td> <td style="text-align: center;">See Sect 8</td> <td style="text-align: center;"></td> <td style="text-align: center;">See Sect 8</td> </tr> <tr> <td colspan="4" style="text-align: center;">For Routine Industrial Use and Handling Applications</td> </tr> </tbody> </table>				PROTECTIVE EQUIPMENT				EYES	RESPIRATORY	HANDS	BODY		See Sect 8		See Sect 8	For Routine Industrial Use and Handling Applications			
PROTECTIVE EQUIPMENT																			
EYES	RESPIRATORY	HANDS	BODY																
	See Sect 8		See Sect 8																
For Routine Industrial Use and Handling Applications																			
Hazard Scale: 0 = Minimum 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic Hazard																			

SECTION 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

- Collect material via broom or mop. Place in tightly sealed container for proper disposal. Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material. Soak up with absorbent material such as clay, sand or other suitable non-reactive material.
- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

Large Spills:

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.

7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

7.3 Specific Uses:

Hard surface cleaning solution

SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Exposure Parameters:

<u>Ingredients</u>	<u>CAS No.</u>	<u>OSHA PEL</u>	<u>NIOSH PEL</u>
Water	7732-18-5	Not Listed	Not Listed
Isopropyl Alcohol	67-63-0	400 ppm	200 ppm
Propylene Glycol	57-55-6	Not Listed	Not Listed
Sodium Nitrite	7632-00-0	15 mg/m ³	10 mg/m ³
Alkyl Dimethyl Benzyl Ammonium Chloride (12-18)	68391-01-5	Not Listed	Not Listed

Cetylite**Power Cleaner**

Cetyldimethylethylammonium Bromide	124-03-8	Not Listed	Not Listed
Sodium Carbonate Monohydrate	497-19-8	Not Listed	Not Listed
Edetic Acid	60-00-4	Not Listed	Not Listed

8.2 Exposure Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

Ventilation and Engineering Controls:

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:

Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

Eye Protection:

Safety glasses or goggles are recommended. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

Hand Protection:

Chemical resistant gloves are recommended to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

Body Protection:

Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on Basic Physical and Chemical Properties:**

Appearance (Physical State and Color): This product is a blue colored liquid gel with a slight odor.

Odor: Slight odor

Odor Threshold: No data available

pH: Not Available

Melting/Freezing Point: No data available

Boiling Point: 212°F

Flash Point: 88.2°F (31.2°C)

Evaporation Rate: No data available

Flammability (Solid; Gas): No data available

Upper/Lower Flammability or Explosion Limits: LEL 2.0% UEL 12%

Vapor Pressure (mm Hg @ 20°C (68° F): No data available

Vapor Density: No data available

Relative Density: Not Available

Specific Gravity: >1.00 @20°C

Solubility in Water: No data available

Weight per Gallon: No data available

Partition Coefficient (n-octanol/water): No data available

Auto-Ignition Temperature: >750°F (399°C)

Decomposition Temperature: No data available

Viscosity: No data available

9.2 Other Information:

No data available

SECTION 10 - STABILITY AND REACTIVITY**10.1 Reactivity:**

This product is not reactive.

10.2 Stability:

Stable under conditions of normal storage and use.

10.3 Possibility of Hazardous Reactions:

Not identified.

10.4 Conditions to Avoid:

Contact with incompatible materials, ignition sources

10.5 Incompatible Substances:

Strong oxidizing agents.

10.6 Hazardous Decomposition Products:

When heated to decomposition this product may contain carbon dioxide, carbon monoxide and unidentified toxic and/or irritating compounds.

SECTION 11 - TOXICOLOGICAL INFORMATION**11.1 Information on Toxicological Effects:****Toxicity Data:**

Isopropyl Alcohol	67-63-0	LD50 Oral – Rat	4,700 – 5,800 mg/kg
Propylene Glycol	57-55-6	LD50 Oral – Rat	20,000 mg/kg
Sodium Nitrite	7632-00-0	LD50 Oral – Rat	180 mg/kg

Acute toxicity	Acute Oral Toxicity Category 3
Skin corrosion / irritation	Skin Irritant Category 2
Serious eye damage / irritation	Eye Irritant Category 2A
Respiratory or skin sensitization	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Specific Target Organ Toxicity – Single exposure Category 3
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met

Routes of Exposure:**Symptoms of Overexposure by Route of Exposure:**

The most significant routes of overexposure for this product are by contact with skin or eyes, ingestion or inhalation. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: Inhalation of vapors may irritation of the upper respiratory system.

Skin Contact: Contact with skin may cause skin irritation with local redness.

Eye Contact: Vapours and direct contact to the eyes may be irritating.

Ingestion: May be harmful if swallowed.

Chronic: None known**Target Organs:**

Acute: Skin, Eyes, Respiratory System

Chronic: None known

Suspected Cancer Agent:

None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is not considered to be, nor suspected to be a cancer-causing agent by these agencies. Contact with this product can be irritating to exposed skin, eyes and respiratory system.

Irritancy:**Sensitization to the Product:**

This product is not expected to cause skin sensitization.

Germ Cell Mutagenicity:

This product does not contain ingredients that are suspected to be a germ cell mutagenic.

Reproductive Toxicity:

This product is not expected to be a human reproductive toxicant.

SECTION 12 - ECOLOGICAL INFORMATION**12.1 Toxicity:**

No specific data available on this product.

12.2 Persistence and Degradability:

No specific data available on this product.

12.3 Bioaccumulative Potential:

No specific data available on this product.

12.4 Mobility in Soil:

No specific data available on this product.

12.5 Results of PBT and vPvB Assessment:

No specific data available on this product.

12.6 Other Adverse Effects:

No data available.

12.7 Water Endangerment Class:

At present, there are no ecotoxicological assessments for this product.

SECTION 13 - DISPOSAL CONSIDERATIONS**13.1 Waste Treatment Methods:**

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan.

13.2 EU Waste Code:

Not determined

SECTION 14 - TRANSPORTATION INFORMATION**14.1 U.S. Department of Transportation (DOT) Shipping Regulations:**

Following the guidance of 49 CFR Section 173.50 Exceptions for Class 3 Flammable Liquids, Packaging Group II, this material is exempted from labeling requirements due to its limited quantity.

This product, if shipped in bulk, is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

Note: Bulk Shipments (does not apply to 32 fl oz containers)

UN Identification Number: UN1993

Proper Shipping Name: Flammable liquid, n.o.s. (Contains Isopropyl Alcohol)

Hazard Class Number and Description: Flammable liquid Class 3

Packing Group: PGI

DOT Label(s) Required: Flammable liquid Class 3

North American Emergency Response Guidebook Number: 128

14.2 Environmental Hazards:**Marine Pollutant:**

The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

None

14.3 Special Precaution for User:**14.4 International Air Transport Association Shipping Information (IATA):**

This product is considered as dangerous goods.

14.5 International Maritime Organization Shipping Information (IMO):

This product is considered as dangerous goods.

SECTION 15 - REGULATORY INFORMATION**15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:**United States Regulations:**U.S. SARA Reporting Requirements:**

The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

Isopropyl Alcohol (CAS# 67-63-0)

Sodium Nitrite (CAS# 7632-00-0)

U.S. SARA 311/312:

Acute Health: Yes; Chronic Health: No; Fire: Yes; Reactivity: No

U.S. SARA 313: None known

U.S. CERCLA Reportable Quantity:

Sodium Nitrite CAS# 7632-00-0 100 Lbs

U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65): This product does not contain ingredients on the Proposition 65 Lists.

15.2 Canadian Regulations:**Canadian DSL/NDSL Inventory Status:**

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

Canadian WHMIS Classification and Symbols:

Classified per WHMIS 2015 Controlled Product Regulations.

15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.4 Australian Information for Product:

Components of this product are listed on the International Chemical Inventory list.

15.5 Japanese Information for Product:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

15.6 International Chemical Inventories:

Listing of the components on individual country Chemical Inventories is as follows:

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed

U.S. TSCA: Listed

SECTION 16 - ADDITIONAL INFORMATION

Prepared By: Chris Eigbrett (MSDS to GHS Compliance)

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. Cetylite assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Cetylite assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

Revision History:

- | | |
|--------------------------|--|
| June 3, 2013 | - Document creation. |
| March 8, 2017 | - Updated template with <i>corrected GHS elements and added data elements for EU compliance.</i> |
| May 18, 2020 | - Updated Shipping / Limited Quantity information |
| February 19, 2022 | - SDS Review / Update |

END OF SDS SHEET